

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 5150 North Street
Lab Code: R2403688-001

Service Request: R2403688
Date Collected: 05/02/24 09:26
Date Received: 05/02/24 14:45

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 5602 COunty Road 41
Lab Code: R2403688-002

Service Request: R2403688
Date Collected: 05/02/24 08:50
Date Received: 05/02/24 14:45

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 4846 State Route 96
Lab Code: R2403688-003

Service Request: R2403688
Date Collected: 05/02/24 10:07
Date Received: 05/02/24 14:45

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 4500 Fox Road
Lab Code: R2403688-004

Service Request: R2403688
Date Collected: 05/02/24 08:27
Date Received: 05/02/24 14:45

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 6026 State Route 96
Lab Code: R2403688-005

Service Request: R2403688
Date Collected: 05/02/24 07:43
Date Received: 05/02/24 14:45

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/02/24 18:46	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 1299 State Route 332
Lab Code: R2403946-001

Service Request: R2403946
Date Collected: 05/09/24 09:25
Date Received: 05/09/24 14:40

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 5290 North Street
Lab Code: R2403946-002

Service Request: R2403946
Date Collected: 05/09/24 10:07
Date Received: 05/09/24 14:40

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 130 Hook Road
Lab Code: R2403946-003

Service Request: R2403946
Date Collected: 05/09/24 08:19
Date Received: 05/09/24 14:40

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 1000 County Road 8
Lab Code: R2403946-004

Service Request: R2403946
Date Collected: 05/09/24 09:04
Date Received: 05/09/24 14:40

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 1802 State Route 332
Lab Code: R2403946-005

Service Request: R2403946
Date Collected: 05/09/24 09:39
Date Received: 05/09/24 14:40

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/09/24 18:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: Andrews Road
Lab Code: R2404211-001

Service Request: R2404211
Date Collected: 05/16/24 09:02
Date Received: 05/16/24 15:00

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: County Rd 8 & Townline Rd
Lab Code: R2404211-002

Service Request: R2404211
Date Collected: 05/16/24 08:29
Date Received: 05/16/24 15:00

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 135 Hook Road
Lab Code: R2404211-003

Service Request: R2404211
Date Collected: 05/16/24 07:59
Date Received: 05/16/24 15:00

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 6180 Collett Road W
Lab Code: R2404211-004

Service Request: R2404211
Date Collected: 05/16/24 08:09
Date Received: 05/16/24 15:00

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/16/24 15:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 2351 State Route 332
Lab Code: R2404211-005

Service Request: R2404211
Date Collected: 05/16/24 08:43
Date Received: 05/16/24 15:00

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	—	1	05/16/24 15:34	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	—	1	05/16/24 15:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 2420 Brickyard Road
Lab Code: R2404434-001

Service Request: R2404434
Date Collected: 05/23/24 09:01
Date Received: 05/23/24 12:10

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 6215 State route 96
Lab Code: R2404434-002

Service Request: R2404434
Date Collected: 05/23/24 09:23
Date Received: 05/23/24 12:10

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: County Rd 28 & County Rd 41
Lab Code: R2404434-003

Service Request: R2404434
Date Collected: 05/23/24 08:32
Date Received: 05/23/24 12:10

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 187 County Road 8
Lab Code: R2404434-004

Service Request: R2404434
Date Collected: 05/23/24 08:18
Date Received: 05/23/24 12:10

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: Town of Farmington Consolidated Water and Sewer District
Project: Drinking Water
Sample Matrix: Drinking Water
Sample Name: 5102 North Road
Lab Code: R2404434-005

Service Request: R2404434
Date Collected: 05/23/24 08:50
Date Received: 05/23/24 12:10

Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Coliform, Total	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	
Escherichia coli	SM 9223 B	Absent	CFU/100mL	-	1	05/23/24 16:05	